


Astigmatism



Astigmatism is a common type of refractive error. It is a condition in which the eye does not focus light evenly onto the retina, the light-sensitive tissue at the back of the eye.

● What is astigmatism?

Astigmatism is a common type of refractive error. It is a condition in which the eye does not focus light evenly onto the retina, the light-sensitive tissue at the back of the eye.

● What is refraction?

Refraction is the bending of light as it passes through one object to another. Vision occurs when light rays are bent (refracted) as they pass through the cornea and the lens. The light is then focused on the retina. The retina converts the light-rays into messages that are sent through the optic nerve to the brain. The brain interprets these messages into the images we see.

● **How does astigmatism occur?**

Astigmatism occurs when light is bent differently depending on where it strikes the cornea and passes through the eyeball. The cornea of a normal eye is curved like a basketball, with the same degree of roundness in all areas. An eye with astigmatism has a cornea that is curved more like a football, with some areas that are steeper or more rounded than others. This can cause images to appear blurry and stretched out. The eye is often able to focus close objects clearly.

● **Who is at risk for astigmatism?**

Astigmatism can affect both children and adults. Some patients with slight astigmatism will not notice much change in their vision. It is important to have eye examinations at regular intervals in order to detect any astigmatism early on for children.

● **What are the signs and symptoms of astigmatism?**

Signs and symptoms include:

- Headaches
- Eyestrain
- Squinting
- Distorted or blurred vision at all distances
- Difficulty driving at night

If you experience any of these symptoms, visit your eye care professional. If you wear glasses or contact lenses and still have these issues, a new prescription might be needed.

● **How is astigmatism diagnosed?**

Astigmatism is usually found during a comprehensive dilated eye exam. Being aware of any changes in your vision is important. It can help in detecting any common vision problems. If you notice any changes in your vision, visit your eye care professional for a comprehensive eye dilated examination.

● **Can you have astigmatism and not know it?**

It is possible to have mild astigmatism and not know about it. This is especially true for children, who are not aware of their vision being other than normal. Some adults may also have mild astigmatism without any symptoms. It's important to have comprehensive dilated eye exams to make sure you are seeing your best.

● **How is astigmatism corrected?**

Astigmatism can be corrected with eyeglasses, contact lenses, or surgery. Individual lifestyles affect the way astigmatism is treated.

Eyeglasses are the simplest and safest way to correct astigmatism. Your eye care professional will prescribe appropriate lenses to help you see as clearly as possible.

Contact Lenses work by becoming the first refractive surface for light rays entering the eye, causing a more precise refraction or focus. In many cases, contact lenses provide clearer vision, a wider field of vision, and greater comfort. They are a safe and effective option if fitted and used properly. However, contact lenses are not right for everyone. Discuss this with your eye care professional.

Refractive Surgery aims to change the shape of the cornea permanently. This change in eye shape restores the focusing power of the eye by allowing the light rays to focus precisely on the retina for improved vision. There are many types of refractive surgeries. Your eye care professional can help you decide if surgery is an option for you.

● For More Information

View Eye Health Organizations

<http://nei.nih.gov/health/resourceSearch.asp?Disp=1&strKey=Refractive+Surgery>

Tips on Talking to Your Doctor

<http://nei.nih.gov/health/talktodoc.asp>

How to Find an Eye Care Professional

<http://nei.nih.gov/health/findprofessional.asp>

For the most up-to-date information, you may wish to visit

<http://www.nei.nih.gov/health/errors/astigmatism.asp>

This information was developed by the National Eye Institute to help patients and their families search for general information about astigmatism. An eye care professional who has examined the patient's eyes and is familiar with his or her medical history is the best person to answer specific questions.

The National Eye Institute (NEI) is part of the National Institutes of Health (NIH) and is the Federal government's lead agency for vision research that leads to sight-saving treatments and plays a key role in reducing visual impairment and blindness.



National Eye Institute

National Eye Institute
National Institutes of Health
2020 Vision Place
Bethesda, MD 20892–3655
(301)496–5248
www.nei.nih.gov

NIH Pub. No. 04-3252 Revised 2007
Last Reviewed on 02/22/13